

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/576,858	04/21/2006	Toshiyuki Ikeda	4386.75001	5738
24978	7590 11/14/2007 NS & CP AIN		EXAMINER	
GREER, BURNS & CRAIN 300 S WACKER DR			BELLINGER, JASON R	
25TH FLOOR CHICAGO, IL 60606			ART UNIT	PAPER NUMBER
			3617	
			MAIL DATE	DELIVERY MODE
٠	•		11/14/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/576,858	IKEDA ET AL.			
Office Action Summary	Examiner	Art Unit			
	Jason R. Bellinger	3617			
The MAILING DATE of this communication a					
Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perio - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO i.136(a). In no event, however, may a reply be tid d will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDON	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on					
2a) ☐ This action is FINAL . 2b) ☑ Th	, 				
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D. 11, 4	.53 O.G. 213.			
Disposition of Claims					
 4) Claim(s) 1-6 is/are pending in the application 4a) Of the above claim(s) is/are withdr 5) Claim(s) is/are allowed. 6) Claim(s) 1-6 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and. 	rawn from consideration.	·			
Application Papers					
 9) The specification is objected to by the Examination 10) The drawing(s) filed on 21 April 2006 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the least or the second s	a) accepted or b) objected to the drawing(s) be held in abeyance. Se the ection is required if the drawing(s) is ol	ee 37 CFR 1.85(a). Djected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document of the copies of the priority document of the certified copies of the cer	nts have been received. nts have been received in Applicationity documents have been receivau (PCT Rule 17.2(a)).	tion No red in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892)	4) Interview Summar				
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail D 5) Notice of Informal 6) Other:				

10/576,858 Art Unit: 3617

Information Disclosure Statement

1. The listing of references in the specification is not a proper information disclosure statement. 37 CFR 1.98(b) requires a list of all patents, publications, or other information submitted for consideration by the Office, and MPEP § 609.04(a) states, "the list may not be incorporated into the specification but must be submitted in a separate paper." Therefore, unless the references have been cited by the examiner on form PTO-892, they have not been considered.

Drawings

2. The drawings are objected to because the line represented by reference character Li should be a phantom line, given the fact that the line does not represent a physical element of the invention but instead a boundary for an area. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application

10/576,858

Art Unit: 3617

must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

3. Figure 3 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

- 4. Claims 1-6 are objected to because of the following informalities: The phrase "for charging" should be replaced with the phrase --inflated with-- in line 2 of claim 1, for grammatical clarity. Appropriate correction is required.
- 5. The claims are objected to because they include reference characters which are not enclosed within parentheses.

10/576,858

Art Unit: 3617

Reference characters corresponding to elements recited in the detailed description of the drawings and used in conjunction with the recitation of the same element or group of elements in the claims should be enclosed within parentheses so as to avoid confusion with other numbers or characters which may appear in the claims. See MPEP § 608.01(m).

Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:

 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 7. Claims 1-6 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claims 1-3 and 6 are indefinite due to the fact that it is unclear what is actually being claimed in the last two lines of claims 1-2, the last line of claim 3, and lines 4-5 of claim 6.

Claim 5 is indefinite due to the fact that it is unclear what is actually being claimed in lines 5-10.

Allowable Subject Matter

8. Claims 1-6, as best understood, would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The references, such as Renard et al, show wheels having means for dampening sound.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason R. Bellinger whose telephone number is 571-272-6680. The examiner can normally be reached on Mon - Thurs (9:00-4:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Morano can be reached on 571-272-6684. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jason R Bellinger Primary Examiner Art Unit 3617